ARISTOCRAT SERIES STEEL CARRIAGE GARAGE DOORS















a carriage-style door, delivers strength, durability and outstanding performance for many years. A vast variety of models and styles ensures a perfect fit for any home or application.

The Presidential models, notated by the letter "P" offer a 3 layer steel construction with a polystyrene core. Designed for a great insulation offering at 10.25R at a reasonable price.

The Monarch models notated by the letter "M" boasts of a 3 layer steel construction with a polyurethane core and a 17.68R insulation factor. Combined with a thermal section break, these superior features provide maximum sound deadening properties and keeps the heat out in the summer and cold in the winter.

16'-20' Double Doors



11	11
P3A/M3A	



P3B/M3B'

W3









P4B/M4B*

16'-20' Doors



Optional Hardware Placement For

W4

HERE

P5B/M5B



P5C/M5C

W5



W1

W2

*No Window Options Available

Hardware shown may not be included; please see your local dealer for details.

Door & Window Selections



Hardware & Construction

White

Handles

Hinges

Steel Strap Hinge



Details

- · Base door and overlay material are woodgrain textured.
- 18 designs available
- Overlay color is available in white only.
- · Presidential Series doors are available up to 10' in height. Windows are available in most heights; however, doors over 8' may be more aesthetically pleasing without windows. Customized sizes over 10' are available. Please consult your dealer for details.
- 5 window designs available.
- The Presidential Series base and overlays can be painted. Safe-Way specifies Sherwin-Williams[®] VinylSafe[™] paint colors only (available in Sherwin-Williams Duration® Exterior Coating or SuperPaint® Exterior Paint). Failure to use this paint will void the product warranty.

Presidential Door Construction

- 1. 11 ball nylon rollers provide quiet operation and long lasting durability.
- 2. Heavy duty galvanized 14 gauge hardware
- 3. Tongue and groove design provides weathertight section joints
- 4. Expanded polystyrene insulation provides an R-Value of 10.25.
- 5. Steel skins inside and out provide maximum durability.
- Aluminum bottom retainer 6. with vinyl weatherstrip.



Presidential Premium Option



*Above door is painted gray to highlight the vertical boards. Actual product is only available in white.



*Additional decorative hardware options are available. Consult your dealer for details.

Monarch Door Construction

- 1. Tongue and groove enclosed with bulb type polypropylene thermal break anchored within the polyuretahane core.
- 2. Polyurethane injected insulation provides an R-value of 17.68
- 3. Steel skins inside and out provide maximum durability.
- 4. 20 gauge pre-painted heavy steel end stiles for added strenath.
- 5. Interior 20 gauge backer plate full height of section at all hinge points.

DASMA SIDA

As Safe-Way Door constantly strives to improve our product, all specifications listed in this informative brochure are subject to change

11/2020

without notice or obligation. Printed color may vary from actual color, please check with your local dealer for color swatches.

• Presidential Premium provides a completely vinyl covered surface.

- Vertical tongue and groove vinyl boards are applied over the steel surface.
- · Design trim boards are applied over the vertical boards in any of the designs described in this brochure
- · Presidential Premium is available in white only.



*Picture notates the color variations of a white base door and the white vinvl overlav



galvanized 14 gauge hardware, and aluminum bottom retainer with vinyl weatherstrip.



3814 East U.S. 30 • Warsaw, IN 46580 574-267-4861 • Fax: 574-267-2871 safewaydoor.com

Distributed by: