

Deluxe Series



40, 41, 42, 43, 50, 51, 52, 53, 54, 55



Model 51 Shown

Tradition, Strength, Beauty and Value

The Deluxe Series by Safe-Way gives you the choice of uncompromised looks and value in either a contemporary style panel design or a traditional style carriage house design. Panels available in flush, raised and carriage house style give you many options to compliment the look of your home. These attractive doors feature wood grain embossing for a beautiful wood – like appearance but with the durability and performance of steel for an outstanding value. Both insulated and non-insulated models are available along with decorative hardware options and an updated color pallet to enhance the appearance of your home.



Model 41 Shown

Make a Statement.





Model 50 Shown

Panel Styles



CARRIAGE HOUSE PANEL Model 40 Uninsulated / Model 41 Insulated



RAISED SHORT PANEL Model 50 Uninsulated / Model 51 Insulated



STAMPED LONG CARRIAGE PANEL Model 42 Uninsulated / Model 43 Insulated



FLUSH PANEL Model 52 Uninsulated / Model 53 Insulated



LONG RANCH PANEL Model 54 Uninsulated / Model 55 Insulated

Estate Window Designs Available For All Deluxe Series Doors



Plain



Cascade



Cathedral



Prairie



Stockton



Waterton



Sunrise 5 *not available on models 40 /41*



Sunrise 6



Sunrise 7 *not available on models 40 /41*



Sunrise 8



Sunset 4



Sunset 8



Stockbridge Long



Stockbridge Arch Long



Stockton Long



Stockton Arch Long



Cascade Long



Waterton Long



Sunset Long 2



Prairie Long



Sunset Long 4

Optional Decorative Hardware

Hinges




Hammered Iron Stud



Iron Stud With Screw

Handles



Panel Colors



White

Almond

Desert Tan


Sandtone

Brown


Grey

Black

Construction



- A. Finish Painted Coat
- B. Primer Coat
- C. Galvanized Layer
- D. Steel



- A. 11 Ball nylon rollers provide quiet operation and long lasting durability.
- B. Heavy-duty galvanized 14 gauge hardware
- C. Tongue and groove design provides weather tight section joints
- D. 24 gauge steel
- E. Vinyl-backed 1-3/8" expanded polystyrene insulation provides an R-value of 6.0 (models 41, 43, 51, 53 and 55)
- F. Aluminum bottom retainer with vinyl weatherstrip.

Distributed by:



DASMA
Door & Access Systems
Manufacturers Association
International

IDA
International Door Association
Enhancing the Value and Professionalism
of Door & Access Systems Dealers

As Safe-Way Door constantly strives to improve our product, all specifications listed in this informative brochure are subject to change without notice or obligation. Printed color may vary from actual color, please check with your local dealer for color swatches.

03/2021



SAFE-WAY
GARAGE DOORS
Make a Statement.

3814 East U.S. 30 • Warsaw, IN 46580
574-267-4861 • Fax: 574-267-2871

www.safe-waydoor.com