WOOD GRAIN FINISHES



Models 76, 78, 79, 80, 96, 98, 99, 100



Elevate the appearance of your home with our New Wood Grain Doors! The Wood Grain options from Safe-Way offers homeowners high resolution woodgrain imaging digitally transferred to steel, creating the ultimate combination of beauty and durability. Available in both Regency and Ambient Series doors, and in a variety of panel styles, window options, and decorative hardware, the Wood Grain options are sure to improve the appearance and value of your home!

443

-





Make a Statement

Available Colors:

Safe-Way Door wood grain finishes feature scanned and digitally transferred imaging of real wood. Woodgrain patterns and colors are organized to have vertical and horizontal graining, offering homeowners the truest representation of wood available on a steel door.







Note: Print and monitor color may vary from actual color, please check with your local dealer for actual color chips.

Walnut

Classic



Available Panel Styles:



Short Raised Panel // Model 76, 96



Short Carriage Stamped // Model 79, 99



Long Raised Panel // Model 78, 98




Long Carriage Stamped // Model 80, 100




Estate Window Series:


Frames and grilles are available in complimentary colors or in black. Additionally, both insulated and non insulated window options are available, as well as a variety of glass options. Please consult your Safe-Way Sales representative for full details.



WOOD GRAIN FINISHES

Construction:





Regency Models: 76, 78, 79, 80

- A. 11 ball nylon rollers provide quiet operation and long lasting durability.
- **B.** Heavy duty galvanized 14 gauge hardware.
- **C.** Tongue and groove design provides weathertight section joints.
- **D.** Expanded polystyrene insulation provides an R-Value of 10.25.
- **E.** Steel skins inside and out provide maximum durability.
- **F.** Aluminum bottom retainer with vinyl weatherstrip.

Ambient Models: 96, 98, 99, 100

- **A.** Tongue and groove enclosed with bulb type polypropylene thermal break anchored within the polyurethane core.
- B. Polyurethane injected insulation provides an R-Value of 17.68.
- C. Steel skins inside and out provide maximum durability.
- **D.** 20 gauge pre-painted heavy steel end stiles for added strength.
- **E.** Interior 20 gauge backer plate full height of section at all hinge points.

- A. Finish Painted Coat
- B. Primer Coat
- C. Galvanized Layer
- D. Steel

Distributed by:

B C D C C B A

 (\mathbf{A})

*Other Features include: 11 ball nylon rollers provide quiet operation and long lasting durability.

Heavy duty galvanized 14 gauge hardware.

Aluminum bottom retainer with vinyl weatherstrip.



As Safe-Way Door constantly strives to improve our product, all specifications listed in this informative brochure are subject to change without notice or obligation. Printed color may vary from actual color, please check with your local dealer for color swatches. 12/2023



(877) 775-1670 Fax: (800) 276-7233 Manufacturing in Warsaw, Indiana Distribution Centers in Tennessee and Missouri SAFEWAYDOOR.COM