











Steelhouse Specifications


Original STEELHOUSE™ Modern Carriage Door Series Specifications Sections are 2-inches thick in 24-inch and 28-inch heights and are manufactured from heavy-duty 23 gauge hot-dipped galvanized steel. Sections are prime painted white and rotary embossed with a woodgrain texture. Tongue and groove meeting rails are roll formed into the panel incorporating the RITS reinforced integral truss system. CFC- free polystyrene insulation with a 20 mil high impact vinyl or 26 gauge woodgrain embossed steel backer provides the insulation for the section. Vertical stile members are 19 gauge hot-dipped galvanized I-beams pre-painted white to match the interior color of the door. Textured steel channel, foam filled, facing boards 4″ x .5″ are laminated to the face of the steel door with *glue and screws*. Bottom sections are reinforced with an aluminum "L" reinforcement angle mechanically fastened and bonded to the bottom of the section for supporting a replaceable weather seal.

INSULATION: CFC-free polystyrene insulation with a rigid high impact vinyl back skin with an R-factor of 6.25, or a 26 gauge steel woodgrain embossed back skin. Calculated door section R-Values are in accordance with DASMA TDS-163.

H-3 HARDWARE AND TRACK: Heavy Duty commercial top and bottom fixtures with 14 gauge wide body hinges. 11 Ball white nylon rollers, galvanized torsion tube, coated spring wire, interior lock, and .051 Vertical tracks and .060 Horizontal track.

COLOR: All doors are primed, painted white from the factory and require postpainting. The examples shown have been painted to show some of the possibilities that further enhance the wood effect. Exterior color choices include almond, black and white.

Warranty: Is a limited lifetime warranty. Contact your distributor for additional information.





Original STEELHOUSE™ Series Optional Top Section Designs





Stockbridge Two Bar lites*

The original STEELHOUSE™

Modern Carriage Door is rotary embossed with directionally accurate woodgrain texture.

MODELS:


Andover, Bradford, Cascade, Essex, Pinehurst, Ranchero, Sage Creek, Tehama and Woodview


WIDTHS & HEIGHTS:
Widths: 8', 9', 10', 12', 16', & 18', 20' Heights: //
7' (3 section), & 8' (4 section)
Other heights available with 24" & 28" configurations

DESIGNER GLASS OPTIONS: Nine glass designs are available, and the glass types offered are: DSB clear, Tinted, Obscure, Bronze, or Grey.

Please note SteelHouse Doors come in white, black, and almond only. Images depicted in brochure, feature doors that have been painted in the field.


Seven ft. 3-SECTION





Eight ft. 4-SECTION















Before After Before After

Why buy the Original STEELHOUSE Door? Here are a few simple reasons:

Beauty • Variety • Functionality • Durability • Cost effective

STEELHOUSE... Simply the Best!

The Original **STEELHOUSE™** Door is an innovative "Modern Carriage Door," manufactured entirely of steel.

The Original **STEELHOUSE™** garage doors have two-sided steel insulated facing boards that are textured, roll formed then *glued, screwed,* and bonded to a 23 gauge steel section.

A "Reinforced Integral Truss System" (RITS™) gives the Original **STEELHOUSE**™ doors strength and rigidity that is unmatched by similar products. In addition to their distinctive style and curb appeal, the Original **STEELHOUSE**™ will not warp, crack, or split. Quite simply, it doesn't get better than that.

Limited Lifetime Warranty: Contact your distributor for additional information.

1st United Door Technologies

1016 W. Geneva Dr. Tempe, Arizona 85282 Phone: 480-705-6632 Fax: 480-705-8497 Toll free: 866-366-7636 sales@firstudt.com

DISTRIBUTED BY:







STEELHOUSE 05/24